Ĺ	Hits	Search Text	DB	Time stamp
Number				
1	44	G-phase	USPAT;	2003/02/03
_		•	US-PGPUB	09:51
2	20822	thiocyanate thiocyanic	USPAT;	2003/02/03
		•	US-PGPUB	09:51
3	1	G-phase and (thiocyanate thiocyanic)	USPAT;	2003/02/03
	_	The second secon	US-PGPUB	09:51
4	20	G-phase	EPO; JPO;	2003/02/03
•		o pilas	DERWENT	09:51
5	5473	thiocyanate thiocyanic	EPO; JPO;	2003/02/03
3	01/0		DERWENT	09:52
6	1	G-phase and (thiocyanate thiocyanic)	EPO; JPO;	2003/02/03
Ŭ	_	o printe and (the same same same same same same same sam	DERWENT	09:53
7	355	hawkins-J\$.in.	EPO; JPO;	2003/02/03
, ·			DERWENT	09:53
8	1	(thiocyanate thiocyanic) and	EPO; JPO;	2003/02/03
	_	hawkins-J\$.in.	DERWENT	09:53
9	3	G-phase and hawkins-J\$.in.	EPO; JPO;	2003/02/03
		prince and the second	DERWENT	09:55
10	54440	detergent	EPO; JPO;	2003/02/03
* •			DERWENT	09:55
11	44	(thiocyanate thiocyanic) and detergent	EPO; JPO;	2003/02/03
11		(one of the original of the o	DERWENT	09:55

DERWENT-ACC-NO: 1991-305108

DERWENT-WEEK: 200170

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Conc. surfactant compsn. - comprises a mixt. of water and 30-55 wt. per cent of surfactant and is capable of exhibiting hexagonal symmetry by X=ray diffraction etc.

INVENTOR: HAWKINS, J ; HODGES, R ; MESSENGER, E T ;
NICHOLSON, W J ; HODGETTS,
R ; MESSENGER, E ; HAWKINS, J K

PATENT-ASSIGNEE: ALBRIGHT & WILSON LTD[ALBR], HUNTSMAN INT LLC[HUNTN], ALBRIGHT & WILSON UK LTD[ALBR]

PRIORITY-DATA: 1991GB-0005788 (March 19, 1991), 1990GB-0008120 (April 10, 1990), 1991GB-0007637 (April 10, 1991), 1991GB-0018564 (August 30, 1991), 1991GB-0022213 (October 18, 1991)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES	MAIN-IPC	
EP 452106 A	October 16, 1991	N/A
038		
CA 2040150 C	October 23, 2001	E
000	C11D 001/29	
AU 9174225 A	October 17, 1991	N/A
000	N/A	11/11
NO 9101401 A	October 11, 1991	N/A
000	N/A	11/ 21
BR 9101413 A	November 26, 1991	N/A
000	N/A	14/11
CA 2040150 A	October 11, 1991	N/A
000		14/ 21
GB 2245280 A		N/A
000		IV/ A
FI 9101710 A		N/A
000		14/ A
CS 9101010 A		N/A
000		1V / A

FR 2661842 A 000 N/A	November 15, 1991	N/A
CN 1057480 A 000 C11D	January 1, 1992	N/A
JP 04227838 A	August 17, 1992	N/A
HU 61327 T	017/00 December 30, 1992 009/26	N/A
000 C11D ZA 9102664 A	009/26 December 30, 1992 000/00	N/A
055 C11D EP 452106 A3	000/00 August 5, 1992	N/A
000 N/A AU 642228 B	October 14. 1993	N/A
000 C11D	017/00 November 25 1994	N/A
000 C11D	017/00	
000 C11D	000/00 13, 1994	N/A
000 C11D	October 14, 1993 017/00 November 25, 1994 017/00 September 13, 1994 000/00 January 24, 1995 017/00	N/A
026 B01F	017/00	N/A
NO 177862 B 000 C11D	August 28, 1995 017/02	N/A
EP 452106 B1 043 C11D	October 16, 1996	E
	November 21, 1996	N/A
ES 2097183 T3 C11D	April 1, 1997	N/A
US 5952285 A	September 14, 1999 001/83	N/A
HU 216907 B 000 C11D	October 28, 1999	N/A
CZ 286792 B6	July 12, 2000	N/A
EP 452106 B2	001/83 December 13, 2000	E
KR 215229 B1	017/00 August 16, 1999	N/A
SK 281633 B6	001/00 June 11, 2001	N/A
000 C11D	001/83	

DESIGNATED-STATES: AT BE CH DE ES FR GB GR IT LI LU NL SE BE DE ES FR GB IT NL B E DE ES FR GB IT NL

CITED-DOCUMENTS: NoSR.Pub; EP 153857; EP 295021; EP 301884 ; EP 346993 ; EP 38101 ; EP 388239 ; EP 68520 ; GB 2022125 ; GB 2179053 ; GB 2179054 ; US 4781849 APPLICATION-DATA: PUB-NO APPL-DESCRIPTOR APPL-NO APPL-DATE EP 452106A N/A 1991EP-0303146 April 10, 1991 CA 2040150C 1991CA-2040150 April 10, 1991 GB 2245280A N/A 1991GB-0007637 April 10, 1991 FR 2661842A 1991FR-0004376 N/A April 10, 1991 CN 1057480A 1991CN-0103224 April 10, 1991 JP 04227838A N/A 1991JP-0077733 April 10, 1991 HU 61327T 1991HU-0001167 April 10, 1991 ZA 9102664A 1991ZA-0002664 April 10, 1991 EP 452106A3 N/A 1991EP-0303146 April 10, 1991 AU 642228B 1991AU-0074225 N/A April 9, 1991 AU 642228B Previous Publ. AU 9174225 N/ANZ 237789A N/A 1991NZ-0237789 April 10, 1991 IT 1245047B 1991IT-T000264 April 10, 1991 IL 97805A N/A 1991IL-0097805 April 9, 1991 JP 95063605B2 N/A 1991JP-0077733 April 10, 1991 JP 95063605B2 Based on JP 4227838 N/ANO 177862B N/A 1991NO-0001401 April 10, 1991 NO 177862B Previous Publ. NO 9101401 N/A EP 452106B1 N/A 1991EP-0303146

1991DE-0622646

April 10, 1991

N/A

DE 69122646E

	April 10, 1991			
DE	69122646E N/A April 10, 1991			1991EP-0303146
DE	April 10, 1991 69122646E Based on			EP 452106
	N/A			
ES	2097183T3 N/A April 10, 1991			1991EP-0303146
ES	2097183T3 Based on N/A			EP 452106
US	5952285A CIP of April 10, 1991			1991US-0683337
US	5952285A CIP of			1991US-0783369
US	October 28, 1991 5952285A CIP of			1992US-0938426
US	August 31, 1992 5952285A Cont of			1993US-0119419
	September 10, 1993			
US	5952285A Cont of			1994US-0316061
US	September 30, 1994 5952285A Cont of July 14, 1995			1995US-0502364
110	July 14, 1995			
	5952285A Cont of			1996US-0684327
US	July 19, 1996 5952285A N/A			1997US-0866399
	May 30, 1997			
HU	216907B N/A			1991HU-0001167
шп	April 10, 1991	Dubl		IIII (1000
110	216907B Previous N/A	Publ.		HU 61327
CZ	286792B6 N/A			1991CS-0001010
	April 10, 1991			199105 0001010
CZ	286792B6 Previous	Publ.		CS 9101010
	286792B6 Previous N/A			
EΡ	452106B2 N/A			1991EP-0303146
	April 10, 1991			
KR	215229B1 N/A			1991KR-0005739
	April 10, 1991			
SK	281633B6 N/A			1991CS-0001010
	April 10, 1991			
SK	281633B6 Previous N/A	Publ.		CS 9101010
_				
A	GT (TDG) 704-7007 (6-			
	-CL (IPC): A01N025/02;	A01N025/30	;	B01F003/08 ;
	F017/00 ;	0115000/05		
	K003/14; C09K007/02; D001/12;	C11D000/00	;	C11D001/00 ;
		C11D001/00		G11D001/06
-11	D001/29 ; C11D001/72 ;	C11D001\83	,	CIIDOOI\80 ;

```
C11D003/06;

C11D003/08; C11D003/10; C11D003/14; C11D003/20;

C11D003/26;

C11D003/48; C11D007/00; C11D007/02; C11D007/10;

C11D007/22;

C11D009/00; C11D009/26; C11D010/00; C11D010/02;

C11D017/00;

C11D017/02; C11D017/08; C11D001:29; C11D010/02
```

RELATED-ACC-NO: 1993-078275

ABSTRACTED-PUB-NO: EP 452106A
BASIC-ABSTRACT: A surfactant compsn. comprises a mixt. of water and 30-55 wt.%
of surfactant based on total wt. of surfactant and water.
The compsn. is
capable of exhibiting hexagonal symmetry by small angle
X-ray diffraction
and/or neutron scattering and is pourable when subjected to shear. Also
claimed is liquid detergent compsn. comprising the surfactant, and a stable
spherulitic surfactant compsn..

USE/ADVANTAGE - The surfactant systems comprise high levels of surfactant and are particularly useful in preparing highly concentrated liquid laundry detergents which are environmentally friendly and have good washing performance. The conc. liquids compete effectively with ''compact'' powders. The surfactant systems contain stably suspended solid builders at acceptable viscosities. The compsn. contg. suspended particles can be a scouring cream, pesticidal compsn. or drilling mud.

ABSTRACTED-PUB-NO: EP 452106B
EQUIVALENT-ABSTRACTS: A surfactant compsn. comprises a mixt. of water and 30-55
wt.% of surfactant based on total wt. of surfactant and water. The compsn. is capable of exhibiting hexagonal symmetry by small angle X-ray diffraction and/or neutron scattering and is pourable when subjected to shear. Also claimed is liquid detergent compsn. comprising the

surfactant, and a stable spherulitic surfactant compsn..

USE/ADVANTAGE - The surfactant systems comprise high levels of surfactant and are particularly useful in preparing highly concentrated liquid laundry detergents which are environmentally friendly and have good washing performance. The conc. liquids compete effectively with ''compact'' powders. The surfactant systems contain stably suspended solid builders at acceptable viscosities. The compsn. contg. suspended particles can be a scouring cream, pesticidal compsn. or drilling mud.

US 5952285A

The compsns. comprise water, surfactant, and sufficient surfactant-desolubiliser (I) to form a stable spherulitic or G-phase liq. crystal structure. Compsns. comprising solid or liq. particles suspended in compsn. of type (A) are also new.

Pref. the surfactant component is mixt. of 20-75 wt.% of a relatively soluble surfactant, esp. alkyl ether sulphate or alkyl ether carboxylate, and 25-80 wt.% of relatively insol. surfactant, esp. Na alkylbenzene sulphonate and/or an Na soap. (I) is alkali metal carbonate. Liq. detergent compsns. comprise water, 10-15% Na alkyl ether sulphate, 4-10% Na alkylbenzene sulphonate or Na alkylbenzene sulphonate or Na alkyl sulphate, 0-6% soap, 0-3% ethoxylated nonionic surfactant and 8.5-12% Na2CO3 or K2CO3.

USE/ADVANTAGE - Compsns. of type (A) are useful laundry detergents. Compsns. of type (B) are useful as scouring creams (contg. abrasive particles), pesticidal compsns. (contg. isoluble pesticide), drilling muds (contg. shale and/or weighting agent), detergents (contg. builders, esp. zeolite), or

cosmetic or topical pharmaceutical compsns. (contg. exfoliants, oils, anti-dandruff agents, sunscreens, emollients, antiperspirants, styptics, antiseptics, insect repellants, pearlisers, waxes, microsponges, etc.). Dye dispersions, printing pastes and functional fluids (e.g. lubricants, cutting fluids, hydraulic fluids or heat-transfer fluids) are also disclosed. Addn. of (I) allows pourable compsns. to be prepd. at high surfactant concns. normally resulting in non-pourable

CHOSEN-DRAWING: Dwg.0/18

TITLE-TERMS:

CONCENTRATE SURFACTANT COMPOSITION COMPRISE MIXTURE WATER WEIGHT PER CENT SURFACTANT CAPABLE EXHIBIT HEXAGON SYMMETRICAL X=RAY DIFFRACTED

DERWENT-CLASS: A97 B07 C03 C07 D21 D22 D25 H01

CPI-CODES: A12-W12A; C04-B01C3; C04-C03B; C05-A01B; C05-A03A; C05-B01G; C05-B02A3; C05-B02C; C10-A09A; C10-A09B; C10-B04B; C10-G02; C12-M09; C12-N01; D11-A01; D11-A03A; D11-A07; D11-D04; D11-D07; H01-B06;

CHEMICAL-CODES:

Chemical Indexing M1 *02*

Fragmentation Code

H5 H589 H8 K4 K421 M224 M225 M226 M231 M272 M280 M281 M312 M323 M332 M342 M383 M393 M423 M431 M510 M520 M530 M540 M782 M903 M904 Q273 Q616 V742 V780

Markush Compounds 199142-65402-M

Chemical Indexing M2 *01*

Fragmentation Code

H713 H721 H722 H723 K0 K4 K421 K431 M210 M211 M212 M213 M214 M215 M216 M220 M221 M222 M223 M224 M225 M226 M231 M232 M233 M271 M272 M281 M320 M416 M431 M620 M782 M903 M904 Q273 Q616 Markush Compounds 199142-65401-M

02/03/2003, EAST Version: 1.03.0002

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:
Key Serials: 0013 0203 0044 0231 0304 0305 0486 0487 1279
1306 1581 1585 1588
1590 1592 1604 1999 2001 2002 2012 2014 2021 2504 2571 2575
2585 2701 3273
Multipunch Codes: 014 028 034 039 04- 05- 055 056 06- 074
081 09- 147 198 200
229 230 231 239 24- 240 249 27& 31- 336 38- 397 436 532 533
535 537 546 575 58583 589 59& 603 623 624 678 688 720 723
SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1991-132123

DERWENT-ACC-NO: 1993-078275

DERWENT-WEEK: 200243

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Pourable liq. surfactant compsns. contg.

de-solubiliser - are useful as

detergents or carriers for pesticides, pharmaceuticals,

cosmetics, etc.

INVENTOR: HATCHMAN, K; HAWKINS, J; HODGETTS, R; MOUNSEY, W A ; NICHOLSON, W J

; WARBURTON, S A ; MOUNSEY, W

PATENT-ASSIGNEE: ALBRIGHT & WILSON LTD[ALBR], ALBRIGHT &

WILSON UK LTD[ALBR], HUNTSMAN INT LLC[HUNTN], RHODIA CONSUMER SPECIALTIES LTD[RHOD]

PRIORITY-DATA: 1991GB-0022213 (October 18, 1991),

1991GB-0018564 (August 30,

1991) , 1990GB-0008120 (April 10, 1990) , 1991GB-0005788 (March 19, 1991)

PATENT-FAMILY:

PUB-DATE PUB-DATE	LANGUAGE
PUB-NO PUB-DATE PAGES MAIN-IPC March 10 1993	ប
FP 530708 A2 March 10, 1993	E .
020 C11D 017/00 EP 530708 B2 July 3, 2002	E
000 C11D 017/00	
GB 2259519 A March 17, 1993	N/A
051 C11D 017/00	N/A
AU 9221330 A March 11, 1993	14,711
000 C11D 017/00 NO 9203377 A March 1, 1993	N/A
nnn C11D 017/02	37 / T)
BR 9203375 A April 20, 1993	N/A
000 C11D 017/00	N/A
CA 2077253 A March 1, 1993 000 B01F 017/00	
FI 9203867 A March 1, 1993	N/A
000 C11D 017/00	N / 7\
CZ 9202674 A3 May 12, 1993	N/A
000 C11D 001/00 JP 05209198 A August 20, 1993	N/A
JP 05209198 A August 20, 1330	

010	015/00	
019 C11D		N7 / 70
049 C11D	August 25, 1993	N/A
HII 63/151 T	000/00 August 30, 1993 001/00	N/A
000 C11D	001/00	N/A
EP 530708 A3	June 9. 1993	N/A
	017/00	11, 11
CN 1073973 A	July 7, 1993	N/A
000 C11D	011/00	
NZ 244159 A	December 22, 1994	N/A
000 C11D	017/00	
GB 2259519 B	March 6, 1996	N/A
000 C11D	017/00	
AU 665766 B	January 18, 1996 017/00 March 31, 1996 017/00	N/A
TI 1020F0 7	01//00	37 (D
1L 102950 A	March 31, 1996	N/A
FP 530708 B1	Tanuary 22 1997	E
024 C11D	January 22, 1997 017/00	Ē
DE 69216955 E	March 6. 1997	N/A
DE 69216955 E 000 C11D	017/00	11, 11
RO 111203 B1	July 30, 1996	N/A
RO 111203 B1 C11D	001/12	•
ES 2099775 T3	June 1, 1997	N/A
000 C11D	017/00	
MX 184729 B	May 23, 1997	N/A
000 C11D HU 216618 B	017/000	
HU 216618 B	July 28, 1999	N/A
000 C11D	·	/-
US 5952285 A 000 C11D	September 14, 1999	N/A
KR 266768 B1	September 15, 2000	N/A
000 C11D		1V / A
JP 3193143 B2	July 30, 2001	N/A
018 C11D		11/ 11

DESIGNATED-STATES: AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL PT SE AT BE CH D E ES FR IT LI LU MC NL PT AT BE CH DE ES FR IT LI LU MC NL PT

CITED-DOCUMENTS: No-SR.Pub; EP 151884; EP 170091; EP 259741 ; EP 295021 ; EP 430330 ; EP 452106 ; US 4515704 ; US 4618446 ; WO 9112307

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

	APPL-DATE					
ΕP	530708A2		N/A		199	2EP-0114744
	August	28,	1992			
ΕP	530708B2		N/A		199	2EP-0114744
	August	28,	1992			
GB	2259519A		N/A		199	2GB-0018384
	August	28,	1992			
AU	9221330A				199	2AU-0021330
	August					
NO	9203377A				199	2NO-0003377
	August					
BR	9203375A				199	2BR-0003375
	August				400	
CA	2077253A				199	2CA-2077253
	August				100	0000000
F.T	9203867A				199	2FI-0003867
C 7	August	28,	1992		100	200 0000074
CZ	9202674A3				199	2CS-0002674
ΤD	August 05209198A				100	2JP-0232087
UF	August				133	201-0232007
7 Z	9206551A	J1,	1992 N/A		100	2ZA-0006551
ΔA	August				199	22A 0000331
нп	63451T	20,	N/A		199	2HU-0002781
110	August				100	2110 0002701
EP			N/A		199	2EP-0114744
	August				100	221 0111,11
CN	-		N/A		199	2CN-0111213
	August					
NZ	244159A		N/A		199	2NZ-0244159
	August	31,	1992			
GB	2259519B		N/A		199	2GB-0018384
	August	28,	1992			
AU			N/A		199	2AU-0021330
	August					
AU	665766B		Previous	Publ.	AU	9221330
	N/A					
IL	102950A		N/A		199	2IL-0102950
	August	26,				
ЕP	530708B1	0.0	N/A		199	2EP-0114744
חח	August	28,			100	000 0010055
DE	69216955E	20	N/A		199	2DE-0616955
חב	August 69216955E				100	OED 0114744
DE	August		N/A		199	2EP-0114744
DF	69216955E	•	Based on		מם	530708
טט	N/A		Dased Off		다	JJU100
R∩	111203B1		N/A		100	2RO-0001147
110	****C () D T		11/17		エジラ	TWO OCCITAL

```
August 31, 1992
ES 2099775T3
                   N/A
                                            1992EP-0114744
      August 28, 1992
ES 2099775T3
                   Based on
                                            EP 530708
      N/A
MX 184729B
                   N/A
                                            1992MX-0005011
      August 31, 1992
HU 216618B
                   N/A
                                            1992HU-0002781
      August 28, 1992
HU 216618B
                   Previous Publ.
                                            HU 63451
      N/A
US 5952285A
                   CIP of
                                            1991US-0683337
      April 10, 1991
US 5952285A
                   CIP of
                                            1991US-0783369
      October 28, 1991
US 5952285A
                   CIP of
                                            1992US-0938426
      August 31, 1992
US 5952285A
                   Cont of
                                            1993US-0119419
      September 10, 1993
US 5952285A
                   Cont of
                                            1994US-0316061
      September 30, 1994
US 5952285A
                   Cont of
                                            1995US-0502364
      July 14, 1995
US 5952285A
                   Cont of
                                            1996US-0684327
      July 19, 1996
US 5952285A
                   N/A
                                            1997US-0866399
      May 30, 1997
KR 266768B1
                   N/A
                                            1992KR-0015753
      August 31, 1992
JP 3193143B2
                   N/A
                                            1992JP-0232087
      August 31, 1992
JP 3193143B2
                   Previous Publ.
                                            JP 5209198
      N/A
665766 B
INT-CL (IPC): A01N025/00; A61K007/00; A61K007/075;
A61K007/42;
A61K007/50;
              B01F017/00 ;
                            B01F017/02; B01F017/04;
B01F017/10;
B01F017/16 ;
              B01F017/22; B01F017/42;
                                         B01F017/56;
C09K007/02;
C11D000/00 ; C11D001/00 ; C11D001/12 ;
                                         C11D001/83;
C11D001/88;
C11D003/04; C11D003/10; C11D011/00; C11D017/00;
C11D017/000 ;
C11D017/02
```

RELATED-ACC-NO: 1991-305108

ABSTRACTED-PUB-NO: EP 530708A
BASIC-ABSTRACT: The compsns. comprise water, surfactant, and sufficient
surfactant-desolubiliser (I) to form a stable spherulitic or G-phase liq.
crystal structure. Compsns. comprising solid or liq.
particles suspended in compsn. of type (A) are also new.

Pref. the surfactant component is mixt. of 20-75 wt.% of a relatively soluble surfactant, esp. alkyl ether sulphate or alkyl ether carboxylate, and 25-80 wt.% of relatively insol. surfactant, esp. Na alkylbenzene sulphonate and/or an Na soap. (I) is alkali metal carbonate. Liq. detergent compsns. comprise water, 10-15% Na alkyl ether sulphate, 4-10% Na alkylbenzene sulphonate or Na alkyl sulphate, 0-6% soap, 0-3% ethoxylated nonionic surfactant and 8.5-12% Na2CO3 or K2CO3.

USE/ADVANTAGE - Compsns. of type (A) are useful laundry detergents. Compsns. of type (B) are useful as scouring creams (contg. abrasive particles), pesticidal compsns. (contg. isoluble pesticide), drilling muds (contq. shale and/or weighting agent), detergents (contg. builders, esp. zeolite), or cosmetic or topical pharmaceutical compsns. (contq. exfoliants, oils, anti-dandruff agents, sunscreens, emollients, antiperspirants, styptics, antiseptics, insect repellants, pearlisers, waxes, microsponges, etc.). Dye dispersions, printing pastes and functional fluids (e.g. lubricants, cutting fluids, hydraulic fluids or heat-transfer fluids) are also disclosed. Addn. of (I) allows pourable compsns. to be prepd. at high surfactant concns. normally resulting in non-pourable

ABSTRACTED-PUB-NO: EP 530708B EQUIVALENT-ABSTRACTS: The compsns. comprise water,

surfactant, and sufficient surfactant-desolubiliser (I) to form a stable spherulitic or G-phase liq. crystal structure. Compsns. comprising solid or liq. particles suspended in compsn. of type (A) are also new.

Pref. the surfactant component is mixt. of 20-75 wt.% of a relatively soluble surfactant, esp. alkyl ether sulphate or alkyl ether carboxylate, and 25-80 wt.% of relatively insol. surfactant, esp. Na alkylbenzene sulphonate and/or an Na soap. (I) is alkali metal carbonate. Liq. detergent compsns. comprise water, 10-15% Na alkyl ether sulphate, 4-10% Na alkylbenzene sulphonate or Na alkylbenzene sulphonate or Na alkyl sulphate, 0-6% soap, 0-3% ethoxylated nonionic surfactant and 8.5-12% Na2CO3 or K2CO3.

USE/ADVANTAGE - Compsns. of type (A) are useful laundry detergents. Compsns. of type (B) are useful as scouring creams (contg. abrasive particles), pesticidal compsns. (contg. isoluble pesticide), drilling muds (contg. shale and/or weighting agent), detergents (contg. builders, esp. zeolite), or cosmetic or topical pharmaceutical compsns. (contg. exfoliants, oils, anti-dandruff agents, sunscreens, emollients, antiperspirants, styptics, antiseptics, insect repellants, pearlisers, waxes, microsponges, etc.). Dye dispersions, printing pastes and functional fluids (e.g. lubricants, cutting fluids, hydraulic fluids or heat-transfer fluids) are also disclosed. Addn. of (I) allows pourable compsns. to be prepd. at high surfactant concns. normally resulting in non-pourable

GB 2259519B

A pourable composition which comprises: a mixture of water and surfactant having a concentration such that when a

surfactant-desolubiliser is progressively added to said mixture the electrical conductivity passes through a minimum value characterised by the formation of a G-phase composition and a subsequent minimum at higher surfactant-desolubiliser concentration than said first minimum and characterised by the formation of a turbid spherulitic composition; and a quantity of dissolved surfactant-desolubiliser, such as a surfactant desolubilising electrolyte, greater than that corresponding to said first minimum but less than that corresponding to said subsequent minimum and sufficient to form a stable composition capable of suspending solid.

US 5952285A

The compsns. comprise water, surfactant, and sufficient surfactant-desolubiliser (I) to form a stable spherulitic or G-phase liq. crystal structure. Compsns. comprising solid or liq. particles suspended in compsn. of type (A) are also new.

Pref. the surfactant component is mixt. of 20-75 wt.% of a relatively soluble surfactant, esp. alkyl ether sulphate or alkyl ether carboxylate, and 25-80 wt.% of relatively insol. surfactant, esp. Na alkylbenzene sulphonate and/or an Na soap. (I) is alkali metal carbonate. Liq. detergent compsns. comprise water, 10-15% Na alkyl ether sulphate, 4-10% Na alkylbenzene sulphonate or Na alkyl sulphate, 0-6% soap, 0-3% ethoxylated nonionic surfactant and 8.5-12% Na2CO3 or K2CO3.

USE/ADVANTAGE - Compsns. of type (A) are useful laundry detergents. Compsns. of type (B) are useful as scouring creams (contg. abrasive particles), pesticidal compsns. (contg. isoluble pesticide), drilling muds (contg. shale and/or weighting agent), detergents (contg. builders, esp.

zeolite), or cosmetic or topical pharmaceutical compsns. (contg. exfoliants, oils, anti-dandruff agents, sunscreens, emollients, antiperspirants, styptics, antiseptics, insect repellants, pearlisers, waxes, microsponges, etc.). Dye dispersions, printing pastes and functional fluids (e.g. lubricants, cutting fluids, hydraulic fluids or heat-transfer fluids) are also disclosed. Addn. of (I) allows pourable compsns. to be prepd. at high surfactant concns. normally resulting in non-pourable CHOSEN-DRAWING: Dwg.0/0 Dwg.0/0 TITLE-TERMS: POUR LIQUID SURFACTANT COMPOSITION CONTAIN DE SOLUBLE USEFUL DETERGENT CARRY PEST PHARMACEUTICAL COSMETIC DERWENT-CLASS: A97 B07 C03 C07 D21 D22 D25 H01 CPI-CODES: B10-A09B; C10-A09B; B10-B03B; C10-B03B; B10-C04E; C10-C04E; B10-E04D; C10-E04D; B12-L02; C12-L02; B12-M09; C12-M09; D08-B03; D08-B04; D08-B09B; D09-B; D09-E; D11-A01A1; D11-A01B2; D11-A01D; D11-A03A1; D11-B01C; D11-B03; D11-B09; D11-B15A; H01-B06; CHEMICAL-CODES: Chemical Indexing M1 *06* Fragmentation Code K421 M225 M231 M232 K4 H584 H589 H8 K0 M233 M272 M281 M312 M323 M332 M342 M383 M393 M423 M431 M510 M520 M530 M540 M620 M630 M782 M903 M904 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 0616 R023 R024 V743 Markush Compounds 199310-06301-M Chemical Indexing M1 *07* Fragmentation Code H584 H589 H8 M220 M223 M224 H401 H481 H5 M225 M231 M232 M233 M272 M281 M312 M323 M332 M342 M383 M393 M423 M431 M510 M520 M530 M540 M620 M782

M903 M904 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 V743 Markush Compounds 199310-06302-M

Chemical Indexing M1 *09*

Fragmentation Code

M423 M431 M782 M903 M904 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 V793 Specfic Compounds 07707M

Chemical Indexing M1 *16*

Fragmentation Code

M423 M431 M782 M903 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 V780 V802 V815

Chemical Indexing M1 *20*

Fragmentation Code

B414 B713 B720 B744 B796 B799 B833 M210 M211 M250 M283 M320 M423 M431 M510 M520 M530 M540 M620 M782 M903 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 V743

Chemical Indexing M2 *01*

Fragmentation Code

M280 M312 M323 H403 H483 H8 H103 H181 H4 M332 M342 M383 M393 M416 M431 M620 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 00743M

Chemical Indexing M2 *02*

Fragmentation Code

J471 M280 M320 M416 M431 M620 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 00001M

Chemical Indexing M2 *03*

Fragmentation Code

A119 A940 C106 C108 C530 C730 C801 C802 C803 C805 C807 M411 M431 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 01391M

```
Chemical Indexing M2 *04*
      Fragmentation Code
      G011 G013 G019 G100 H7
                               H722 K0
                                         K4
                                              K431 K499
           M111 M121 M129 M133 M139 M280 M312 M322 M332
     M342 M414 M431 M510 M520 M533 M540 M630 M782 M903
     M904 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416
     Q451 Q613 Q616 R023 R024
     Specfic Compounds
     10740M
 Chemical Indexing M2 *05*
     Fragmentation Code
     G011 G012 G013 G014 G015 G016 G100 H581 H582 H583
     H584 K0
                    K421 K431 M210 M211 M220 M224 M225
               K4
     M231 M232 M233 M240 M272 M281 M282 M312 M320 M321
     M322 M323 M332 M342 M383 M391 M392 M393 M414 M416
     M431 M510 M520 M531 M540 M620 M630 M782 M903 M904
     Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451
     Q616 R023 R024
     Markush Compounds
     199310-06301-M
Chemical Indexing M2 *08*
     Fragmentation Code
    A422 A940 C108 C550 C730 C801 C802 C803 C804 C805
    C807 M411 M431 M782 M903 M904 M910 Q251 Q252 Q254
    Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024
    Specfic Compounds
    01966M
Chemical Indexing M2 *11*
    Fragmentation Code
         H401 H481 H5
                        H581 H582 H583 H584 H8
    M223 M224 M225 M231 M232 M233 M272 M281 M312 M321
    M322 M323 M332 M342 M383 M391 M392 M393 M416 M431
   M620 M782 M903 M904 Q251 Q252 Q254 Q263 Q271 Q273
    Q315 Q336 Q416 Q451 Q616 R023 R024
   Markush Compounds
   199310-06302-M
Chemical Indexing M2 *12*
   Fragmentation Code
             K421 M225 M231 M272 M281 M320 M416 M431
        K4
   M620 M630 M782 M903 M904 M910 Q251 Q252 Q254 Q263
   Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024
   Specfic Compounds
   05327M
```

Chemical Indexing M2 *13* Fragmentation Code A119 A940 C101 C106 C108 C530 C730 C801 C802 C805 C807 M411 M431 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 01202M Chemical Indexing M2 *14* Fragmentation Code A111 A940 C017 C100 C730 C801 C803 C804 C805 C806 C807 M411 M431 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 01706MChemical Indexing M2 *15* Fragmentation Code Η4 H401 H481 H8 J0 J013 J1 J173 M280 M313 M321 M332 M344 M349 M381 M391 M416 M431 M620 M630 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 04004M 06310M 16811M Chemical Indexing M2 *17* Fragmentation Code F011 F012 F432 H2 H211 J5 J592 J9 K0K850 L9 L943 M280 M320 M413 M431 M510 M521 M530 M540 M630 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 03152M Chemical Indexing M2 *18* Fragmentation Code J012 J2 J271 J3 J371 K0 L7 L722 M210 M211 M225 M231 M232 M233 M273 M283 M311 M313 M321 M332 M342 M349 M381 M392 M416 M431 M620 M782 M903 M904 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Markush Compounds 199310-06303-м Chemical Indexing M2 *19* Fragmentation Code A220 A960 C710 J0 J011 J1 J171 M210 M211 M262

M281 M320 M411 M431 M510 M520 M530 M540 M620 M630 M782 M903 M904 M910 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q616 R023 R024 Specfic Compounds 00233M

Chemical Indexing M6 *10*

Fragmentation Code M903 P001 P002 P220 P340 P361 P930 Q251 Q252 Q254 Q263 Q271 Q273 Q315 Q336 Q416 Q451 Q606 Q616 R022 R023 R024 R111 R210 R308 R311

UNLINKED-DERWENT-REGISTRY-NUMBERS: 0001U; 0233U; 0419U; 0743U; 1174U; 1202U; 1391U; 1487U; 1706U; 1966U

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1993-034494

02/03/2003, EAST Version: 1.03.0002